

# Gasket Specifications for Standard Flanges



Toll Free: 888 - 756 - 4110

## Ring Type Flange Gaskets

Standard Flange Size	(125 - 150 lb)		(250 - 300 lb)	
	OD	ID	OD	ID
1/2	1 7/8	27/32	2 1/8	27/32
3/4	2 1/4	1 1/16	2 5/8	1 1/16
1	2 5/8	1 5/16	2 7/8	1 5/16
1 1/4	3	1 21/32	3 1/4	1 21/32
1 1/2	3 3/8	1 29/32	3 3/4	1 29/32
2	4 1/8	2 3/8	4 3/8	2 3/8
2 1/2	4 7/8	2 7/8	5 1/8	2 7/8
3	5 3/8	3 1/2	5 7/8	3 1/2
3 1/2	6 3/8	4	6 1/2	4
4	6 7/8	4 1/2	7 1/8	4 1/2
4 1/2	7	5	7 5/8	5
5	7 3/4	5 9/16	8 1/2	5 9/16
6	8 3/4	6 5/8	9 7/8	6 5/8
7	10	7 5/8	10 7/8	7 5/8
8	11	8 5/8	12 1/8	8 5/8
9	12 1/2	9 5/8	12 7/8	9 5/8
10	13 3/8	10 3/4	14 1/4	10 3/4
12	16 1/8	12 3/4	16 5/8	12 3/4
14	17 3/4	14	19 1/8	14
15	19	15	N/A	N/A
16	20 1/4	16	21 1/4	16
18	21 5/8	18	23 1/2	18
20	23 3/8	20	25 3/4	20
22	26	22	27 3/4	22
24	28 1/4	24	30 1/2	24
26	30 1/2	26	32 7/8	26
28	32 3/4	28	35 3/8	28
30	34 3/4	30	37 1/2	30
32	38	32	39 5/8	32
34	39	34	41 5/8	34
36	41 1/4	36	44	36
38	43 5/8	38	46 1/8	38
40	45 5/8	40	48 3/4	40
42	48	42	50 3/4	42
44	50 1/8	44	53	44
46	52 1/8	46	55 1/4	46
48	54 1/2	48	58 3/4	48

# Gasket Specifications for Standard Flanges



Toll Free: 888 - 756 - 4110

## Full Face Flange Gaskets (125 - 150 lb)

Standard Flange Size	OD	ID	Holes	Hole Diameter	Bolt Circle Diameter
1/2	3 1/2	27/32	4	5/8	2 3/8
3/4	3 7/8	1 1/16	4	5/8	2 3/4
1	4 1/4	1 5/16	4	5/8	3 1/8
1 1/4	4 5/8	1 21/32	4	5/8	3 1/2
1 1/2	5	1 29/32	4	5/8	3 7/8
2	6	2 3/8	4	3/4	4 3/4
2 1/2	7	2 7/8	4	3/4	5 1/2
3	7 1/2	3 1/2	4	3/4	6
3 1/2	8 1/2	4	8	3/4	7
4	9	4 1/2	8	3/4	7 1/2
4 1/2	9 1/4	5	8	3/4	7 3/4
5	10	5 9/16	8	7/8	8 1/2
6	11	6 5/8	8	7/8	9 1/2
7	12 1/2	7 5/8	8	7/8	10 3/4
8	13 1/2	8 5/8	8	7/8	11 3/4
9	15	9 5/8	12	7/8	13 1/4
10	16	10 3/4	12	1	14 1/4
12	19	12 3/4	12	1	17
14	21	14	12	1 1/8	18 3/4
15	22 1/4	15	16	1 1/8	20
16	23 1/2	16	16	1 1/8	21 1/4
18	25	18	16	1 1/4	22 3/4
20	27 1/2	20	20	1 1/4	25
22	29 1/2	22	20	1 1/4	27 1/4
24	32	24	20	1 3/8	29 1/2
26	34 3/4	26	24	1 3/8	31 3/4
28	36 1/2	28	26	1 3/8	34
30	38 3/4	30	28	1 3/8	36
32	41 3/4	32	28	1 5/8	38 1/2
34	43 3/4	34	32	1 5/8	40 1/2
36	46	36	32	1 5/8	42 3/4
38	48 3/4	38	36	1 5/8	45 1/4
40	50 3/4	40	36	1 5/8	47 1/4
42	53	42	36	1 5/8	49 1/2
44	55 1/4	44	40	1 5/8	51 3/4
46	57 1/4	46	40	1 5/8	53 3/4
48	59 1/2	48	44	1 5/8	56

# Gasket Specifications for Standard Flanges



## Full Face Flange Gaskets (250 - 300 lb)

Toll Free: 888 - 756 - 4110

Standard Flange Size	OD	ID	Holes	Hole Diameter	Bolt Circle Diameter
1/2	3 3/4	27/32	4	5/8	2 5/8
3/4	4 5/8	1 1/16	4	3/4	3 1/4
1	4 7/8	1 5/16	4	3/4	3 1/2
1 1/4	5 1/4	1 21/32	4	3/4	3 7/8
1 1/2	6 1/8	1 29/32	4	3/4	4 1/2
2	6 1/2	2 3/8	8	7/8	5
2 1/2	7 1/2	2 7/8	8	7/8	5 7/8
3	8 1/4	3 1/2	8	7/8	6 5/8
3 1/2	9	4	8	7/8	7 1/4
4	10	4 1/2	8	7/8	7 7/8
4 1/2	10 1/2	5	8	7/8	8 1/2
5	11	5 9/16	8	7/8	9 1/4
6	12 1/2	6 5/8	12	7/8	10 5/8
7	14	7 5/8	12	7/8	11 7/8
8	15	8 5/8	12	1	13
9	16 1/4	9 5/8	12	1	14
10	17 1/2	10 3/4	16	1 1/8	15 1/4
12	20 1/2	12 3/4	16	1 1/4	17 3/4
14	23	14	20	1 1/4	20 1/4
15	N/A	N/A	N/A	N/A	N/A
16	25 1/2	16	20	1 3/8	22 1/2
18	28	18	24	1 3/8	24 3/4
20	30 1/2	20	24	1 3/8	27
22	33	22	24	1 3/8	29 1/4
24	36	24	24	1 5/8	32
26	38 1/4	26	28	1 5/8	34 1/2
28	40 3/4	28	28	1 5/8	37
30	43	30	28	1 7/8	39 1/4
32	45 1/4	32	28	1 7/8	41 1/2
34	47 1/2	34	28	1 7/8	43 1/2
36	50	36	32	2 1/8	46
38	52 1/4	38	32	2 1/8	48
40	54 1/4	40	36	2 1/8	50 1/4
42	57	42	36	2 1/8	52 3/4
44	59 1/2	44	36	2 1/8	55
46	61 1/2	46	40	2 1/8	57 1/4
48	65	48	40	2 1/8	60 3/4